

Refine Search

Search Results -

Terms	Documents
L3 same ((great\$3 or larg\$3 or big\$4 or maxim\$3) near10 ratio\$2)	3

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L4

Search History

 DATE: Thursday, December 22, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L1</u>	contrast same dynamic same range same imag\$3	1210	<u>L1</u>
<u>L2</u>	L1 same (contrast\$1 near3 (differ\$5 or oppos\$3 or dissimilar\$5 or vary\$3 or varies or disparit\$3))	51	<u>L2</u>
<u>L3</u>	L2 same ratio\$2	11	<u>L3</u>
<u>L4</u>	L3 same ((great\$3 or larg\$3 or big\$4 or maxim\$3) near10 ratio\$2)	3	<u>L4</u>

END OF SEARCH HISTORY


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((contrast*<in>ab) <and> ((differ* or vary* or varies or disparit* or dissimilar*)<in>a

☒ e-mailYour search matched **149** of **1286976** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((contrast*<in>ab) <and> ((differ* or vary* or varies or disparit* or dissimilar*)<in>a

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

Select Article Information

View: 1-25 | 26-5

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

- ☐ **1. Hot sphere detection limits for a dual head coincidence imaging system**
Miyaoaka, R.S.; Kohlmyer, S.G.; Lewellen, T.K.;
Nuclear Science, IEEE Transactions on
Volume 46, Issue 6, Dec. 1999 Page(s):2185 - 2191
Digital Object Identifier 10.1109/23.819302
[AbstractPlus](#) | Full Text: [PDF](#)(936 KB) IEEE JNL
- ☐ **2. Adaptive imaging and spatial compounding in the presence of aberration**
Dahl, J.J.; Guenther, D.A.; Trahey, G.E.;
Ultrasonics, Ferroelectrics and Frequency Control, IEEE Transactions on
Volume 52, Issue 7, July 2005 Page(s):1131 - 1144
Digital Object Identifier 10.1109/TUFFC.2005.1503999
[AbstractPlus](#) | Full Text: [PDF](#)(1608 KB) IEEE JNL
- ☐ **3. Infrared laser addressing of media for recording and displaying of high-
graphic information**
Maydan, D.;
Proceedings of the IEEE
Volume 61, Issue 7, July 1973 Page(s):1007 - 1013
[AbstractPlus](#) | Full Text: [PDF](#)(1229 KB) IEEE JNL
- ☐ **4. Optimization of MRI protocols and pulse sequence parameters for eigeni**
Soltanian-Zadeh, H.; Saigal, R.; Windham, J.P.; Yagle, A.E.; Hearshen, D.O.;
Medical Imaging, IEEE Transactions on
Volume 13, Issue 1, March 1994 Page(s):161 - 175
Digital Object Identifier 10.1109/42.276155
[AbstractPlus](#) | Full Text: [PDF](#)(1136 KB) IEEE JNL
- ☐ **5. Image quality issues for an enhanced vision head up display**
Todd, J.; Summers, L.; Hammontre, P.;
Aerospace and Electronic Systems Magazine, IEEE
Volume 10, Issue 3, March 1995 Page(s):40 - 44
Digital Object Identifier 10.1109/62.391912
[AbstractPlus](#) | Full Text: [PDF](#)(304 KB) IEEE JNL
- ☐ **6. Evaluation of maximum-likelihood based attenuation correction in positron
tomography**

Nuyts, J.; Dupont, P.; Stroobants, S.; Maes, A.; Mortelmans, L.; Suetens, P.;
Nuclear Science, IEEE Transactions on
Volume 46, Issue 4, Part 2, Aug. 1999 Page(s):1136 - 1141
Digital Object Identifier 10.1109/23.790847

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(524 KB\)](#) IEEE JNL

☐ **7. Evaluation of breast tumor detectability with two dedicated, compact scir cameras**

McElroy, D.P.; Hoffman, E.J.; MacDonald, L.; Patt, B.E.; Iwanczyk, J.S.; Yama, C.S.;
Nuclear Science, IEEE Transactions on
Volume 49, Issue 3, Part 1, June 2002 Page(s):794 - 802
Digital Object Identifier 10.1109/TNS.2002.1039565

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(446 KB\)](#) IEEE JNL

☐ **8. Change detection for thematic mapping by means of airborne multitemp SAR imagery**

Dierking, W.; Skriver, H.;
Geoscience and Remote Sensing, IEEE Transactions on
Volume 40, Issue 3, March 2002 Page(s):618 - 636
Digital Object Identifier 10.1109/TGRS.2002.1000322

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(544 KB\)](#) IEEE JNL

☐ **9. A Monte Carlo simulation study to evaluate septal spacing using triple-he imaging**

Groiselle, C.J.; D'Asseler, Y.; Kolthammer, J.A.; Matthews, C.G.; Glick, S.J.;
Nuclear Science, IEEE Transactions on
Volume 50, Issue 5, Part 2, Oct. 2003 Page(s):1339 - 1346
Digital Object Identifier 10.1109/TNS.2003.817402

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1113 KB\)](#) IEEE JNL

☐ **10. Comparison of planar vs. SPECT images for lesion detectability**

Sorensen, E.S.; Zeng, G.L.; Holt, B.; Scott, K.; Karen, S.; Ovard, T.;
Nuclear Science Symposium Conference Record, 2002 IEEE
Volume 3, 10-16 Nov. 2002 Page(s):1731 - 1735 vol.3
Digital Object Identifier 10.1109/NSSMIC.2002.1239657

[AbstractPlus](#) | Full Text: [PDF\(264 KB\)](#) IEEE CNF

☐ **11. A 64-pixel positron-sensitive surgical probe**

Liu, F.; Saffer, J.R.; Mayers, G.M.; Kononenko, W.; Newcomer, F.M.; Karp, J.S.
Nuclear Science Symposium Conference Record, 2002 IEEE
Volume 2, 10-16 Nov. 2002 Page(s):1158 - 1162 vol.2
Digital Object Identifier 10.1109/NSSMIC.2002.1239527

[AbstractPlus](#) | Full Text: [PDF\(437 KB\)](#) IEEE CNF

☐ **12. Combining PET and CT: effect on volume measurements**

Schiepers, C.; Brown, M.; McNitt-Gray, M.; Rogers, S.; Phelps, M.; Dahlbom, J.
Nuclear Science Symposium Conference Record, 2002 IEEE
Volume 2, 10-16 Nov. 2002 Page(s):1102 - 1104 vol.2
Digital Object Identifier 10.1109/NSSMIC.2002.1239513

[AbstractPlus](#) | Full Text: [PDF\(281 KB\)](#) IEEE CNF

☐ **13. New insights into the radar backscattering from the water surface at different frequencies and polarizations in the presence of rain and wind**

Braun, N.; Gade, M.;
OCEANS 2000 MTS/IEEE Conference and Exhibition
Volume 3, 11-14 Sept. 2000 Page(s):2101 - 2105 vol.3
Digital Object Identifier 10.1109/OCEANS.2000.882245

[AbstractPlus](#) | Full Text: [PDF\(548 KB\)](#) IEEE CNF

- ☐ **14. Effect of count rate on contrast in a dual head coincidence camera**
 Sossi, V.; Krzywinski, M.; Cohen, P.; Mankoff, D.A.; Hudkins, K.; DeRosario, J
 Nuclear Science Symposium, 1998. Conference Record. 1998 IEEE
 Volume 3, 8-14 Nov. 1998 Page(s):1907 - 1911 vol.3
 Digital Object Identifier 10.1109/NSSMIC.1998.773909
[AbstractPlus](#) | Full Text: [PDF\(408 KB\)](#) IEEE CNF
- ☐ **15. Evaluation of maximum-likelihood based attenuation correction in positron tomography**
 Nuyts, J.; Dupont, P.; Stroobants, S.; Maes, A.; Mortelmans, L.; Suetens, P.;
 Nuclear Science Symposium, 1998. Conference Record. 1998 IEEE
 Volume 3, 8-14 Nov. 1998 Page(s):1836 - 1841 vol.3
 Digital Object Identifier 10.1109/NSSMIC.1998.773893
[AbstractPlus](#) | Full Text: [PDF\(460 KB\)](#) IEEE CNF
- ☐ **16. Detectability limits for a dual head coincidence imaging system**
 Miyaoka, R.M.; Kohlmyer, S.G.; Lewellen, T.K.;
 Nuclear Science Symposium, 1998. Conference Record. 1998 IEEE
 Volume 3, 8-14 Nov. 1998 Page(s):1729 - 1732 vol.3
 Digital Object Identifier 10.1109/NSSMIC.1998.773873
[AbstractPlus](#) | Full Text: [PDF\(572 KB\)](#) IEEE CNF
- ☐ **17. Image quality issues for an enhanced vision head up display**
 Summers, J.T.L.; Hammontre, P.;
 Digital Avionics Systems Conference, 1994. 13th DASC., AIAA/IEEE
 30 Oct.-3 Nov. 1994 Page(s):82 - 87
 Digital Object Identifier 10.1109/DASC.1994.369499
[AbstractPlus](#) | Full Text: [PDF\(320 KB\)](#) IEEE CNF
- ☐ **18. Feasibility study of using PEImager scanner for positron emission mamn**
 Jan, M.-L.; Keh-Shih Chuang; Yu-Ching Ni; Cheng-Chih Pei; Jay Wu; Ching-K
 Fu;
 Nuclear Science, IEEE Transactions on
 Volume 52, Issue 5, Part 1, Oct. 2005 Page(s):1406 - 1412
 Digital Object Identifier 10.1109/TNS.2005.858180
[AbstractPlus](#) | Full Text: [PDF\(1240 KB\)](#) IEEE JNL
- ☐ **19. Comparison of compact gamma cameras with 1.3- and 2.0-mm quantized dedicated emission mamotomography**
 Tornai, M.P.; Brzymialkiewicz, C.N.; Bradshaw, M.L.; Bowsher, J.E.; Patt, B.E.
 Li, J.; MacDonald, L.R.;
 Nuclear Science, IEEE Transactions on
 Volume 52, Issue 5, Part 1, Oct. 2005 Page(s):1251 - 1256
 Digital Object Identifier 10.1109/TNS.2005.858192
[AbstractPlus](#) | Full Text: [PDF\(624 KB\)](#) IEEE JNL
- ☐ **20. Initial study of quasi-monochromatic X-ray beam performance for X-ray c mamotomography**
 McKinley, R.L.; Tornai, M.P.; Samei, E.; Bradshaw, M.L.;
 Nuclear Science, IEEE Transactions on
 Volume 52, Issue 5, Part 1, Oct. 2005 Page(s):1243 - 1250
 Digital Object Identifier 10.1109/TNS.2005.857629
[AbstractPlus](#) | Full Text: [PDF\(968 KB\)](#) IEEE JNL
- ☐ **21. A flat-panel TV display system in monochrome and color**
 Amano, Y.;

Electron Devices, IEEE Transactions on
Volume 22, Issue 1, Jan 1975 Page(s):1 - 7
[AbstractPlus](#) | Full Text: [PDF\(944 KB\)](#) IEEE JNL

- ☐ **22. Photosolubility of diazoquinone resists**
Meyerhofer, D.;
Electron Devices, IEEE Transactions on
Volume 27, Issue 5, May 1980 Page(s):921 - 926
[AbstractPlus](#) | Full Text: [PDF\(640 KB\)](#) IEEE JNL
- ☐ **23. Intensity interferometry by two-photon excitation of fluorescence**
Weber, H.; Dandliker, R.;
Quantum Electronics, IEEE Journal of
Volume 4, Issue 12, Dec 1968 Page(s):1009 - 1013
[AbstractPlus](#) | Full Text: [PDF\(592 KB\)](#) IEEE JNL
- ☐ **24. Optimization of signal detection in SPECT**
Vaslow, D.F.; Wilson, D.G.; Rowe, B.; Wilson, M.A.; Bianco, J.A.;
Medical Imaging, IEEE Transactions on
Volume 8, Issue 4, Dec. 1989 Page(s):313 - 321
Digital Object Identifier 10.1109/42.41484
[AbstractPlus](#) | Full Text: [PDF\(712 KB\)](#) IEEE JNL
- ☐ **25. Long wavelength infrared 128×128 Al_xGa_{1-x}As/GaAs quantum well infrared imaging system**
Bethea, G.C.; Levine, B.F.; Asom, M.T.; Leibenguth, R.E.; Stayt, J.W.; Glogov;
Morgan, R.A.; Blackwell, J.D.; Parrish, W.J.;
Electron Devices, IEEE Transactions on
Volume 40, Issue 11, Nov 1993 Page(s):1957 - 1963
Digital Object Identifier 10.1109/16.239734
[AbstractPlus](#) | Full Text: [PDF\(532 KB\)](#) IEEE JNL

View: [1-25](#) | [26-5](#)

Indexed by
 Inspec®

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE --

Printed by EAST

UserID: DMariam
Computer: WS07216
Date: 12/22/05
Time: 11:08 AM

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	1	"6760484".pn.	USPAT	2005/12/22 10:18	
2	BRS	L2	66282	(contrast\$ or differ\$5 or dissimilar\$5 or variation\$1 or disparit\$3) near10 (imag\$3 or photo\$6 or picture or video or frame\$1 or pixel\$1 or pel\$1) same (great\$3 or maxim\$3 or extrem\$4 or larg\$3)	USPAT	2005/12/22 10:32	
3	BRS	L3	111402	(contrast\$ or differ\$5 or dissimilar\$5 or variation\$1 or disparit\$3) near10 (imag\$3 or photo\$6 or picture or video or frame\$1 or pixel\$1 or pel\$1) same (great\$3 or maxim\$3 or extrem\$4 or larg\$3)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/12/22 11:02	
4	BRS	L4	5326	3 and (contrast\$1 near3 (differ\$5 or dissimilar\$5 or variation\$1 or disparit\$3))	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/12/22 10:34	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
5	BRS	L5	1564	3 and ((maxim\$3 or great\$3 or larg\$3 or extrem\$3) near10 contrast\$1 near3 (differ\$5 or dissimilar\$5 or variation\$1 or disparit\$3))	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/12/22 10:35	
6	BRS	L6	93	5 and ((maxim\$3 or great\$3 or larg\$3 or extrem\$3) near10 contrast\$1 near3 (differ\$5 or dissimilar\$5 or variation\$1 or disparit\$3) near10 ratio\$2)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/12/22 10:35	
7	BRS	L7	15	6 and (dynamic near2 range\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/12/22 10:56	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
8	BRS	L8	4	6 and (imag\$3 near10 (dynamic near2 range\$1) near10 (match\$3 or compar\$6 or similar\$5 or resemblance))	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/12/22 11:03	
9	BRS	L9	23	((restrict\$4 or limit\$6) near10 (great\$3 or larg\$3 or maxim\$3) near10 contrast\$1 near10 ratio\$2) same imag\$3	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/12/22 11:02	
10	BRS	L10	2	9 same (differ\$5 or dissimilar\$5 or variation\$1 or disparit\$3 or varies or vary\$3)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/12/22 11:03	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
11	BRS	L11	291	(imag\$3 near10 (dynamic near2 range\$1)) same (match\$3 or compar\$6 or similar\$5 or resemblance) same contrast\$1	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/12/22 11:07	
12	BRS	L12	27	11 same ratio\$2	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/12/22 11:05	
13	IS&R	L13	3889	(382/167,171,173,181,209,25 4,274,275).CCLS.	USPAT	2005/12/22 11:05	
14	IS&R	L14	1110	(345/20,63,77,590,611,617). CCLS.	USPAT	2005/12/22 11:06	
15	IS&R	L15	1158	(348/251,254,606,607,615).C CLS.	USPAT	2005/12/22 11:06	
16	IS&R	L16	2998	(358/1.9,3.27,447).CCLS.	USPAT	2005/12/22 11:06	
17	BRS	L17	155	(imag\$3 near10 (dynamic near2 range\$1)) same (match\$3 or compar\$6 or similar\$5 or resemblance) same contrast\$1	USPAT	2005/12/22 11:07	
18	BRS	L18	18	17 same ratio\$2	USPAT	2005/12/22 11:07	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
19	BRS	L20	0	14 and 18	USPAT	2005/12/22 11:07	
20	BRS	L21	0	15 and 18	USPAT	2005/12/22 11:07	
21	BRS	L22	3	16 and 18	USPAT	2005/12/22 11:07	
22	BRS	L19	3	13 and 18	USPAT	2005/12/22 11:07	